



全体

登録数の年次推移


診断年	2014年	2015年	2016年	2017年	2018年
【全登録数】	件数 (%)	件数 (%)	件数 (%)	件数 (%)	件数 (%)
全体	2,891	3,072	3,050	3,196	3,121
男性	1,639 (56.7%)	1,748 (56.9%)	1,709 (56.0%)	1,847 (57.8%)	1,776 (56.9%)
女性	1,252 (43.3%)	1,324 (43.1%)	1,341 (44.0%)	1,349 (42.2%)	1,345 (43.1%)
【集計対象数】	件数 (%)	件数 (%)	件数 (%)	件数 (%)	件数 (%)
全体	2,785	2,928	2,931	3,044	2,941
上皮内癌等除く	2,501	2,638	2,629	2,713	2,626
男性	1,570 (56.8%)	1,664 (56.8%)	1,638 (55.9%)	1,749 (57.5%)	1,663 (56.5%)
女性	1,195 (43.2%)	1,264 (43.2%)	1,293 (44.1%)	1,295 (42.5%)	1,278 (43.5%)
男女比	1.314	1.316	1.267	1.351	1.301



症例区分別 登録数の推移


標準登録様式	←←2006年度版修正版		2016年版→→							
診断年	2014年		2015年		2016年		2017年		2018年	
	件数	(%)	件数	(%)	件数	(%)	件数	(%)	件数	(%)
診断のみ	180	(6.2%)	182	(5.9%)	137	(4.5%)	215	(6.7%)	235	(7.5%)
自診・自治療 開始	1,301	(45.0%)	1,354	(44.1%)	1,429	(46.9%)	1,477	(46.2%)	1,386	(44.4%)
自診・自治療 継続	---	---	---	---	1~3	---	1~3	---	7~9	---
他診・自治療 開始	994	(34.4%)	1,111	(36.2%)	1,084	(35.5%)	1,065	(33.3%)	1,043	(33.4%)
他診・自治療 継続	---	---	---	---	84	(2.8%)	92	(2.9%)	100	(3.2%)
初回治療終了後	290	(10.0%)	281	(9.1%)	194	(6.4%)	193	(6.0%)	169	(5.4%)
その他	126	(4.4%)	144	(4.7%)	119	(3.9%)	152	(4.8%)	180	(5.8%)
合計	2,891		3,072		3,050		3,196		3,121	

…集計対象



部位別 登録数の年次推移

診断年	2014年	2015年	2016年	2017年	2018年
口腔・咽頭	190 (6.9%)	178 (6.1%)	186 (6.3%)	190 (6.2%)	184 (6.3%)
食道	81 (2.9%)	99 (3.4%)	108 (3.7%)	106 (3.5%)	91 (3.1%)
胃	284 (10.3%)	274 (9.4%)	283 (9.7%)	241 (7.9%)	241 (8.2%)
大腸	302 (10.9%)	359 (12.3%)	368 (12.6%)	371 (12.2%)	358 (12.2%)
肝臓	134 (4.8%)	135 (4.6%)	133 (4.5%)	149 (4.9%)	108 (3.7%)
胆嚢・胆管	36 (1.3%)	31 (1.1%)	46 (1.6%)	47 (1.5%)	51 (1.7%)
膵臓	90 (3.3%)	69 (2.4%)	74 (2.5%)	67 (2.2%)	83 (2.8%)
喉頭	29 (1.0%)	31 (1.1%)	29 (1.0%)	37 (1.2%)	26 (0.9%)
肺	225 (8.1%)	252 (8.6%)	237 (8.1%)	345 (11.3%)	312 (10.6%)
骨・軟部	23 (0.8%)	31 (1.1%)	43 (1.5%)	38 (1.2%)	29 (1.0%)
皮膚	129 (4.7%)	149 (5.1%)	160 (5.5%)	138 (4.5%)	134 (4.6%)
乳房	251 (9.1%)	251 (8.6%)	183 (6.2%)	170 (5.6%)	202 (6.9%)
子宮頸部	90 (3.3%)	102 (3.5%)	99 (3.4%)	124 (4.1%)	106 (3.6%)
子宮体部	65 (2.4%)	59 (2.0%)	75 (2.6%)	84 (2.8%)	79 (2.7%)
子宮	0	0	0	0	1~3
卵巣(境界悪性除く)	61 (2.2%)	52 (1.8%)	51 (1.7%)	62 (2.0%)	49 (1.7%)
卵巣(境界悪性)	---	---	4~6	7~9	4~6
前立腺	241 (8.7%)	282 (9.6%)	226 (7.7%)	234 (7.7%)	235 (8.0%)
膀胱	88 (3.2%)	86 (2.9%)	87 (3.0%)	74 (2.4%)	67 (2.3%)
腎・尿路	96 (3.5%)	101 (3.4%)	111 (3.8%)	128 (4.2%)	122 (4.1%)
脳・神経	100 (3.6%)	95 (3.2%)	108 (3.7%)	131 (4.3%)	122 (4.1%)
甲状腺	16 (0.6%)	21 (0.7%)	21 (0.7%)	18 (0.6%)	17 (0.6%)
悪性リンパ腫	98 (3.5%)	90 (3.1%)	112 (3.8%)	115 (3.8%)	116 (3.9%)
多発性骨髄腫	15 (0.5%)	24 (0.8%)	21 (0.7%)	30 (1.0%)	23 (0.8%)
白血病	23 (0.8%)	33 (1.1%)	39 (1.3%)	34 (1.1%)	38 (1.3%)
他の血液	15 (0.5%)	13 (0.4%)	7~9	24 (0.8%)	22 (0.7%)
その他	83 (3.0%)	111 (3.8%)	116 (4.0%)	79 (2.6%)	120 (4.1%)
合計	2,765	2,928	2,931	3,044	2,941



集計登録数上位10部位

順位	部位名	件数
1	大腸	358
2	肺	312
3	胃	241
4	前立腺	235
5	乳房	202
6	口腔咽頭	184
7	皮膚	134
8	腎尿路	122
8	脳神経	122
10	悪性リンパ腫	116
	合計	2,026


※「その他」の項目は除く

全体


年齢階級別 登録数の推移/登録割合の推移および比較

診断年	2014年		2015年		2016年		2017年		2018年	
	件数	(%)	件数	(%)	件数	(%)	件数	(%)	件数	(%)
0-14歳	13	(0.5%)	28	(1.0%)	23	(0.8%)	15	(0.5%)	24	(0.8%)
15-29歳	33	(1.2%)	30	(1.0%)	41	(1.4%)	33	(1.1%)	37	(1.3%)
30-39歳	96	(3.5%)	87	(3.0%)	100	(3.4%)	102	(3.4%)	93	(3.2%)
40-49歳	223	(8.1%)	210	(7.2%)	213	(7.3%)	217	(7.1%)	214	(7.3%)
50-59歳	378	(13.7%)	418	(14.3%)	386	(13.2%)	357	(11.7%)	378	(12.9%)
60-69歳	782	(28.3%)	892	(30.5%)	879	(30.0%)	907	(29.8%)	853	(29.0%)
70-79歳	811	(29.3%)	823	(28.1%)	818	(27.9%)	916	(30.1%)	888	(30.2%)
80-89歳	399	(14.4%)	404	(13.8%)	426	(14.5%)	452	(14.8%)	396	(13.5%)
90歳-	30	(1.1%)	36	(1.2%)	45	(1.5%)	45	(1.5%)	58	(2.0%)
合計	2,765		2,928		2,931		3,044		2,941	


年齢階級別登録数の推移



年齢階級別登録割合の推移



年齢階級別登録割合 / 総数




男女別 年齢階級別 登録数の推移/登録割合の推移および比較


診断年	2014年		2015年		2016年		2017年		2018年	
男性	件数	(%)	件数	(%)	件数	(%)	件数	(%)	件数	(%)
0-14歳	7~9	—	15	(0.9%)	10	(0.6%)	7~9	—	14	(0.8%)
15-29歳	11	(0.7%)	11	(0.7%)	17	(1.0%)	16	(0.9%)	19	(1.1%)
30-39歳	28	(1.8%)	26	(1.6%)	33	(2.0%)	32	(1.8%)	28	(1.7%)
40-49歳	64	(4.1%)	54	(3.2%)	71	(4.3%)	69	(3.9%)	70	(4.2%)
50-59歳	201	(12.8%)	214	(12.9%)	185	(11.3%)	168	(9.6%)	189	(11.4%)
60-69歳	479	(30.5%)	584	(35.1%)	565	(34.5%)	606	(34.6%)	554	(33.3%)
70-79歳	527	(33.6%)	521	(31.3%)	506	(30.9%)	579	(33.1%)	561	(33.7%)
80-89歳	242	(15.4%)	222	(13.3%)	234	(14.3%)	252	(14.4%)	207	(12.4%)
90歳-	10	(0.6%)	17	(1.0%)	17	(1.0%)	19	(1.1%)	21	(1.3%)
合計	1,570		1,664		1,638		1,749		1,663	

診断年	2014年		2015年		2016年		2017年		2018年	
女性	件数	(%)	件数	(%)	件数	(%)	件数	(%)	件数	(%)
0-14歳	4~6	—	13	(1.0%)	13	(1.0%)	7~9	—	10	(0.8%)
15-29歳	22	(1.8%)	19	(1.5%)	24	(1.9%)	17	(1.3%)	18	(1.4%)
30-39歳	68	(5.7%)	61	(4.8%)	67	(5.2%)	70	(5.4%)	65	(5.1%)
40-49歳	159	(13.3%)	156	(12.3%)	142	(11.0%)	148	(11.4%)	144	(11.3%)
50-59歳	177	(14.8%)	204	(16.1%)	201	(15.5%)	189	(14.6%)	189	(14.8%)
60-69歳	303	(25.4%)	308	(24.4%)	314	(24.3%)	301	(23.2%)	299	(23.4%)
70-79歳	284	(23.8%)	302	(23.9%)	312	(24.1%)	337	(26.0%)	327	(25.6%)
80-89歳	157	(13.1%)	182	(14.4%)	192	(14.8%)	200	(15.4%)	189	(14.8%)
90歳-	20	(1.7%)	19	(1.5%)	28	(2.2%)	26	(2.0%)	37	(2.9%)
合計	1,195		1,264		1,293		1,295		1,278	


年齢階級別登録数の推移/男性




年齢階級別登録数の推移/女性



年齢階級別登録割合 / 男性




年齢階級別登録割合 / 女性



全体


診断時住所(医療圏)別 登録数

医療圏	集計対象数		自施設初回治療開始		市町村・県外	集計対象数		自施設初回治療開始	
	件数	(%)	件数	(%)		件数	(%)	件数	(%)
盛岡	1,386	(47.6%)	1,195	(49.2%)	盛岡市	932	(32.0%)	802	(33.0%)
					八幡平市	71	(2.4%)	63	(2.6%)
					滝沢市	132	(4.5%)	116	(4.8%)
					岩手郡雫石町	37	(1.3%)	31	(1.3%)
					岩手郡葛巻町	14	(0.5%)	9	(0.4%)
					岩手郡岩手町	36	(1.2%)	26	(1.1%)
					紫波郡紫波町	75	(2.6%)	71	(2.9%)
					紫波郡矢巾町	89	(3.1%)	77	(3.2%)
岩手中部	381	(13.1%)	312	(12.8%)	花巻市	188	(6.5%)	160	(6.6%)
					北上市	132	(4.5%)	107	(4.4%)
					遠野市	45	(1.5%)	33	(1.4%)
					和賀郡西和賀町	16	(0.5%)	12	(0.5%)
胆江	120	(4.1%)	91	(3.7%)	奥州市	111	(3.8%)	83	(3.4%)
					胆沢郡金ヶ崎町	9	(0.3%)	8	(0.3%)
両磐	75	(2.6%)	59	(2.4%)	一関市	67	(2.3%)	53	(2.2%)
					西磐井郡平泉町	8	(0.3%)	6	(0.2%)
気仙	92	(3.2%)	70	(2.9%)	大船渡市	61	(2.1%)	45	(1.9%)
					陸前高田市	22	(0.8%)	18	(0.7%)
					気仙郡住田町	9	(0.3%)	7	(0.3%)
釜石	137	(4.7%)	117	(4.8%)	釜石市	103	(3.5%)	86	(3.5%)
					上閉伊郡大槌町	34	(1.2%)	31	(1.3%)
宮古	215	(7.4%)	167	(6.9%)	宮古市	136	(4.7%)	107	(4.4%)
					下閉伊郡山田町	41	(1.4%)	30	(1.2%)
					下閉伊郡岩泉町	22	(0.8%)	17	(0.7%)
					下閉伊郡田野畑村	16	(0.5%)	13	(0.5%)
久慈	109	(3.7%)	81	(3.3%)	久慈市	77	(2.6%)	60	(2.5%)
					下閉伊郡普代村	8	(0.3%)	5	(0.2%)
					九戸郡野田村	10	(0.3%)	7	(0.3%)
					九戸郡洋野町	14	(0.5%)	9	(0.4%)
二戸	86	(3.0%)	90	(3.7%)	二戸市	61	(2.1%)	51	(2.1%)
					九戸郡軽米町	6	(0.2%)	3	(0.1%)
					九戸郡九戸村	11	(0.4%)	8	(0.3%)
					二戸郡一戸町	8	(0.3%)	28	(1.2%)
岩手県外	313	(10.7%)	247	(10.2%)	青森県	169	(5.8%)	129	(5.3%)
					秋田県	109	(3.7%)	91	(3.7%)
					宮城県	19	(0.7%)	16	(0.7%)
					その他	16	(0.5%)	11	(0.5%)
合計	2,914		2,429			2,914		2,429	




医療圏域別 部位別 登録数

医療圏	胃	大腸	肝臓	肺	乳房	前立腺	子宮	血液腫瘍	8部位合計
盛岡	145	206	36	130	113	122	85	101	938
岩手中部	34	41	7	36	41	9	32	28	228
胆江	7	13	4	4	4	3	24	5	64
両磐	5	6	3	3	1	3	9	10	40
気仙	2	9	1	34	1	4	5	8	64
釜石	17	10	18	18	5	6	5	4	83
宮古	8	23	10	19	13	37	8	9	127
久慈	4	9	9	16	2	12	5	9	66
二戸	5	13	8	22	1	13	3	5	70
岩手県外	14	28	12	30	21	26	10	20	161
部位別合計	241	358	108	312	202	235	186	199	1,841
部位別登録数に占める 担当医療圏登録数/登録数	94.2%	92.2%	88.9%	90.4%	89.6%	88.9%	94.6%	89.9%	91.3%



医療圏域別 部位別 登録割合



【参考】岩手県総人口と拠点病院等(11施設)部位別登録数の推移 ※部位別登録数は、自施設初回治療開始例のみ

