


全体

登録数の年次推移


診断年	2014年		2015年		2016年		2017年		2018年	
	件数	(%)								
【全登録数】	2,891		3,072		3,050		3,196		3,121	
全体	2,891 (56.7%)		3,072 (56.9%)		3,050 (56.0%)		3,196 (57.8%)		3,121 (56.9%)	
男性	1,639	(56.7%)	1,748	(56.9%)	1,709	(56.0%)	1,847	(57.8%)	1,776	(56.9%)
女性	1,252	(43.3%)	1,324	(43.1%)	1,341	(44.0%)	1,349	(42.2%)	1,345	(43.1%)
【集計対象数】	2,705		2,928		2,931		3,044		2,941	
全体	2,705 (56.8%)		2,928 (56.8%)		2,931 (55.9%)		3,044 (57.5%)		2,941 (56.5%)	
上皮内癌等除く	2,501		2,638		2,629		2,713		2,626	
男性	1,570	(56.8%)	1,664	(56.8%)	1,638	(55.9%)	1,749	(57.5%)	1,663	(56.5%)
女性	1,195	(43.2%)	1,264	(43.2%)	1,293	(44.1%)	1,295	(42.5%)	1,278	(43.5%)
男女比	1.314		1.316		1.267		1.351		1.301	



症例区分別 登録数の推移


標準登録様式	←←2006年版修正版		2016年版→→		2017年		2018年	
	2014年	2015年	2016年	2017年	2017年	2018年	2018年	2018年
診断のみ	180 (6.2%)	182 (5.9%)	137 (4.5%)	215 (6.7%)	215 (6.7%)	235 (7.5%)	235 (7.5%)	235 (7.5%)
自診・自治療 開始	1,301 (45.0%)	1,354 (44.1%)	1,429 (46.9%)	1,477 (46.2%)	1,477 (46.2%)	1,386 (44.4%)	1,386 (44.4%)	1,386 (44.4%)
自診・自治療 継続	---	---	1~3	1~3	1~3	7~9	7~9	7~9
他診・自治療 開始	994 (34.4%)	1,111 (36.2%)	1,084 (35.5%)	1,065 (33.3%)	1,065 (33.3%)	1,043 (33.4%)	1,043 (33.4%)	1,043 (33.4%)
他診・自治療 継続	---	---	84 (2.8%)	92 (2.9%)	92 (2.9%)	100 (3.2%)	100 (3.2%)	100 (3.2%)
初回治療終了後	290 (10.0%)	281 (9.1%)	194 (6.4%)	193 (6.0%)	193 (6.0%)	169 (5.4%)	169 (5.4%)	169 (5.4%)
その他	126 (4.4%)	144 (4.7%)	119 (3.9%)	152 (4.8%)	152 (4.8%)	180 (5.8%)	180 (5.8%)	180 (5.8%)
合計	2,891	3,072	3,050	3,196	3,196	3,121	3,121	3,121

…集計対象



部位別 登録数の年次推移

診断年	2014年		2015年		2016年		2017年		2018年	
	件数	(%)								
口腔・咽頭	190	(6.9%)	178	(6.1%)	186	(6.3%)	190	(6.2%)	184	(6.3%)
食道	81	(2.9%)	99	(3.4%)	108	(3.7%)	106	(3.5%)	91	(3.1%)
胃	284	(10.3%)	274	(9.4%)	283	(9.7%)	241	(7.9%)	241	(8.2%)
大腸	302	(10.9%)	359	(12.3%)	368	(12.6%)	371	(12.2%)	358	(12.2%)
肝臓	134	(4.8%)	135	(4.6%)	133	(4.5%)	149	(4.9%)	108	(3.7%)
胆嚢・胆管	36	(1.3%)	31	(1.1%)	46	(1.6%)	47	(1.5%)	51	(1.7%)
膵臓	90	(3.3%)	69	(2.4%)	74	(2.5%)	67	(2.2%)	83	(2.8%)
喉頭	29	(1.0%)	31	(1.1%)	29	(1.0%)	37	(1.2%)	26	(0.9%)
肺	225	(8.1%)	252	(8.6%)	237	(8.1%)	345	(11.3%)	312	(10.6%)
骨・軟部	23	(0.8%)	31	(1.1%)	43	(1.5%)	38	(1.2%)	29	(1.0%)
皮膚	129	(4.7%)	149	(5.1%)	160	(5.5%)	138	(4.5%)	134	(4.6%)
乳房	251	(9.1%)	251	(8.6%)	183	(6.2%)	170	(5.6%)	202	(6.9%)
子宮頸部	90	(3.3%)	102	(3.5%)	99	(3.4%)	124	(4.1%)	106	(3.6%)
子宮体部	65	(2.4%)	59	(2.0%)	75	(2.6%)	84	(2.8%)	79	(2.7%)
子宮	0	---	0	---	0	---	0	---	1~3	---
卵巣(境界悪性除く)	61	(2.2%)	52	(1.8%)	51	(1.7%)	62	(2.0%)	49	(1.7%)
卵巣(境界悪性)	---	(0.0%)	---	(0.0%)	4~6	---	7~9	---	4~6	---
前立腺	241	(8.7%)	282	(9.6%)	226	(7.7%)	234	(7.7%)	235	(8.0%)
膀胱	88	(3.2%)	86	(2.9%)	87	(3.0%)	74	(2.4%)	67	(2.3%)
腎・尿路	96	(3.5%)	101	(3.4%)	111	(3.8%)	128	(4.2%)	122	(4.1%)
脳・神経	100	(3.6%)	95	(3.2%)	108	(3.7%)	131	(4.3%)	122	(4.1%)
甲状腺	16	(0.6%)	21	(0.7%)	21	(0.7%)	18	(0.6%)	17	(0.6%)
悪性リンパ腫	98	(3.5%)	90	(3.1%)	112	(3.8%)	115	(3.8%)	116	(3.9%)
多発性骨髄腫	15	(0.5%)	24	(0.8%)	21	(0.7%)	30	(1.0%)	23	(0.8%)
白血病	23	(0.8%)	33	(1.1%)	39	(1.3%)	34	(1.1%)	38	(1.3%)
他の血液	15	(0.5%)	13	(0.4%)	7~9	---	24	(0.8%)	22	(0.7%)
その他	83	(3.0%)	111	(3.8%)	116	(4.0%)	79	(2.6%)	120	(4.1%)
合計	2,765		2,928		2,931		3,044		2,941	



集計登録数上位10部位




順位	部位名	件数
1	大腸	358
2	肺	312
3	胃	241
4	前立腺	235
5	乳房	202
6	口腔咽頭	184
7	皮膚	134
8	腎尿路	122
8	脳神経	122
10	悪性リンパ腫	116
	合計	2,026

※「その他」の項目は除く

全体

年齢階級別 登録数の推移/登録割合の推移および比較




診断年	2014年		2015年		2016年		2017年		2018年	
	件数	(%)								
0-14歳	13	(0.5%)	28	(1.0%)	23	(0.8%)	15	(0.5%)	24	(0.8%)
15-29歳	33	(1.2%)	30	(1.0%)	41	(1.4%)	33	(1.1%)	37	(1.3%)
30-39歳	96	(3.5%)	87	(3.0%)	100	(3.4%)	102	(3.4%)	93	(3.2%)
40-49歳	223	(8.1%)	210	(7.2%)	213	(7.3%)	217	(7.1%)	214	(7.3%)
50-59歳	378	(13.7%)	418	(14.3%)	386	(13.2%)	357	(11.7%)	378	(12.9%)
60-69歳	782	(28.3%)	892	(30.5%)	879	(30.0%)	907	(29.8%)	853	(29.0%)
70-79歳	811	(29.3%)	823	(28.1%)	818	(27.9%)	916	(30.1%)	888	(30.2%)
80-89歳	399	(14.4%)	404	(13.8%)	426	(14.5%)	452	(14.8%)	396	(13.5%)
90歳-	30	(1.1%)	36	(1.2%)	45	(1.5%)	45	(1.5%)	58	(2.0%)
合計	2,765		2,928		2,931		3,044		2,941	



男女別 年齢階級別 登録数の推移/登録割合の推移および比較

診断年	2014年		2015年		2016年		2017年		2018年	
	件数	(%)								
0-14歳	7~9	—	15	(0.9%)	10	(0.6%)	7~9	—	14	(0.8%)
15-29歳	11	(0.7%)	11	(0.7%)	17	(1.0%)	16	(0.9%)	19	(1.1%)
30-39歳	28	(1.8%)	26	(1.6%)	33	(2.0%)	32	(1.8%)	28	(1.7%)
40-49歳	64	(4.1%)	54	(3.2%)	71	(4.3%)	69	(3.9%)	70	(4.2%)
50-59歳	201	(12.8%)	214	(12.9%)	185	(11.3%)	168	(9.6%)	189	(11.4%)
60-69歳	479	(30.5%)	584	(35.1%)	565	(34.5%)	606	(34.6%)	554	(33.3%)
70-79歳	527	(33.6%)	521	(31.3%)	506	(30.9%)	579	(33.1%)	561	(33.7%)
80-89歳	242	(15.4%)	222	(13.3%)	234	(14.3%)	252	(14.4%)	207	(12.4%)
90歳-	10	(0.6%)	17	(1.0%)	17	(1.0%)	19	(1.1%)	21	(1.3%)
合計	1,570		1,664		1,638		1,749		1,663	


診断年	2014年		2015年		2016年		2017年		2018年	
	件数	(%)								
0-14歳	4~6	—	13	(1.0%)	13	(1.0%)	7~9	—	10	(0.8%)
15-29歳	22	(1.8%)	19	(1.5%)	24	(1.9%)	17	(1.3%)	18	(1.4%)
30-39歳	68	(5.7%)	61	(4.8%)	67	(5.2%)	70	(5.4%)	65	(5.1%)
40-49歳	159	(13.3%)	156	(12.3%)	142	(11.0%)	148	(11.4%)	144	(11.3%)
50-59歳	177	(14.8%)	204	(16.1%)	201	(15.5%)	189	(14.6%)	189	(14.8%)
60-69歳	303	(25.4%)	308	(24.4%)	314	(24.3%)	301	(23.2%)	299	(23.4%)
70-79歳	284	(23.8%)	302	(23.9%)	312	(24.1%)	337	(26.0%)	327	(25.6%)
80-89歳	157	(13.1%)	182	(14.4%)	192	(14.8%)	200	(15.4%)	189	(14.8%)
90歳-	20	(1.7%)	19	(1.5%)	28	(2.2%)	26	(2.0%)	37	(2.9%)
合計	1,195		1,264		1,293		1,295		1,278	



全体


診断時住所(医療圏)別 登録数

医療圏	集計対象数		自施設初回治療開始		市町村・県外	集計対象数		自施設初回治療開始						
	件数	(%)	件数	(%)		件数	(%)	件数	(%)					
盛岡	1,386	(47.6%)	1,195	(49.2%)	盛岡市	932	(32.0%)	802	(33.0%)					
					八幡平市	71	(2.4%)	63	(2.6%)					
					滝沢市	132	(4.5%)	116	(4.8%)					
					岩手郡雫石町	37	(1.3%)	31	(1.3%)					
					岩手郡葛巻町	14	(0.5%)	9	(0.4%)					
					岩手郡岩手町	36	(1.2%)	26	(1.1%)					
					紫波郡紫波町	75	(2.6%)	71	(2.9%)					
					紫波郡矢巾町	89	(3.1%)	77	(3.2%)					
					岩手中部	381	(13.1%)	312	(12.8%)	花巻市	188	(6.5%)	160	(6.6%)
										北上市	132	(4.5%)	107	(4.4%)
遠野市	45	(1.5%)	33	(1.4%)										
和賀郡西和賀町	16	(0.5%)	12	(0.5%)										
胆江	120	(4.1%)	91	(3.7%)						奥州市	111	(3.8%)	83	(3.4%)
					胆沢郡金ヶ崎町	9	(0.3%)	8	(0.3%)					
					両磐	75	(2.6%)	59	(2.4%)	一関市	67	(2.3%)	53	(2.2%)
西磐井郡平泉町	8	(0.3%)	6	(0.2%)										
気仙	92	(3.2%)	70	(2.9%)	大船渡市	61	(2.1%)	45	(1.9%)					
					陸前高田市	22	(0.8%)	18	(0.7%)					
					気仙郡住田町	9	(0.3%)	7	(0.3%)					
釜石	137	(4.7%)	117	(4.8%)	釜石市	103	(3.5%)	86	(3.5%)					
					上閉伊郡大槌町	34	(1.2%)	31	(1.3%)					
宮古	215	(7.4%)	167	(6.9%)	宮古市	136	(4.7%)	107	(4.4%)					
					下閉伊郡山田町	41	(1.4%)	30	(1.2%)					
					下閉伊郡岩泉町	22	(0.8%)	17	(0.7%)					
					下閉伊郡田野畑村	16	(0.5%)	13	(0.5%)					
久慈	109	(3.7%)	81	(3.3%)	久慈市	77	(2.6%)	60	(2.5%)					
					下閉伊郡普代村	8	(0.3%)	5	(0.2%)					
					九戸郡野田村	10	(0.3%)	7	(0.3%)					
					九戸郡洋野町	14	(0.5%)	9	(0.4%)					
					二戸	86	(3.0%)	90	(3.7%)	二戸市	61	(2.1%)	51	(2.1%)
九戸郡軽米町	6	(0.2%)	3	(0.1%)										
九戸郡九戸村	11	(0.4%)	8	(0.3%)										
二戸郡一戸町	8	(0.3%)	28	(1.2%)										
岩手県外	313	(10.7%)	247	(10.2%)	青森県	169	(5.8%)	129	(5.3%)					
					秋田県	109	(3.7%)	91	(3.7%)					
					宮城県	19	(0.7%)	16	(0.7%)					
					その他	16	(0.5%)	11	(0.5%)					
					合計	2,914		2,429		2,914		2,429		




医療圏域別 部位別 登録数

医療圏	胃	大腸	肝臓	肺	乳房	前立腺	子宮	血液腫瘍	8部位合計
盛岡	145	206	36	130	113	122	85	101	938
岩手中部	34	41	7	36	41	9	32	28	228
胆江	7	13	4	4	4	3	24	5	64
両磐	5	6	3	3	1	3	9	10	40
気仙	2	9	1	34	1	4	5	8	64
釜石	17	10	18	18	5	6	5	4	83
宮古	8	23	10	19	13	37	8	9	127
久慈	4	9	9	16	2	12	5	9	66
二戸	5	13	8	22	1	13	3	5	70
岩手県外	14	28	12	30	21	26	10	20	161
部位別合計	241	358	108	312	202	235	186	199	1,841
部位別登録数に占める担当医療圏の登録割合 (担当医療圏登録数/登録数)	94.2%	92.2%	88.9%	90.4%	89.6%	88.9%	94.6%	89.9%	91.3%



医療圏域別 部位別 登録割合



【参考】 岩手県総人口と拠点病院等(11施設) 部位別登録数の推移 ※部位別登録数は、自施設初回治療開始例のみ

