



全体

登録数の年次推移


診断年	2015年		2016年		2017年		2018年		2019年	
【全登録数】	件数	(%)								
全体	3,072		3,050		3,196		3,121		2,635	
男性	1,748	(56.9%)	1,709	(56.0%)	1,847	(57.8%)	1,776	(56.9%)	1,431	(54.3%)
女性	1,324	(43.1%)	1,341	(44.0%)	1,349	(42.2%)	1,345	(43.1%)	1,204	(45.7%)
【集計対象数】	件数	(%)								
全体	2,928		2,931		3,044		2,941		2,462	
上皮内癌等除く	2,638		2,629		2,713		2,626		2,207	
男性	1,664	(56.8%)	1,638	(55.9%)	1,749	(57.5%)	1,663	(56.5%)	1,333	(54.1%)
女性	1,264	(43.2%)	1,293	(44.1%)	1,295	(42.5%)	1,278	(43.5%)	1,129	(45.9%)
男女比	1.316		1.267		1.351		1.301		1.181	



症別区分別 登録数の推移


標準登録様式	←2006年度版修正版		2016年版→		2017年		2018年		2019年	
診断年	件数	(%)	件数	(%)	件数	(%)	件数	(%)	件数	(%)
診断のみ	182	(5.9%)	137	(4.5%)	215	(6.7%)	235	(7.5%)	209	(7.9%)
自診・自治療 開始	1,354	(44.1%)	1,429	(46.9%)	1,477	(46.2%)	1,386	(44.4%)	1,041	(39.5%)
自診・自治療 継続	—	—	1~3	—	1~3	—	7~9	—	4~6	—
他診・自治療 開始	1,111	(36.2%)	1,084	(35.5%)	1,065	(33.3%)	1,043	(33.4%)	993	(37.7%)
他診・自治療 継続	—	—	84	(2.8%)	92	(2.9%)	100	(3.2%)	56	(2.1%)
初回治療終了後	281	(9.1%)	194	(6.4%)	193	(6.0%)	169	(5.4%)	159	(6.0%)
その他	144	(4.7%)	119	(3.9%)	152	(4.8%)	180	(5.8%)	173	(6.6%)
合計	3,072		3,050		3,196		3,121		2,635	

…集計対象




部位別 登録数の年次推移

診断年	2015年		2016年		2017年		2018年		2019年	
	件数	(%)								
口腔・咽頭	178	(6.1%)	186	(6.3%)	190	(6.2%)	184	(6.3%)	186	(7.6%)
食道	99	(3.4%)	108	(3.7%)	106	(3.5%)	91	(3.1%)	81	(3.3%)
胃	274	(9.4%)	283	(9.7%)	241	(7.9%)	241	(8.2%)	173	(7.0%)
大腸	359	(12.3%)	368	(12.6%)	371	(12.2%)	358	(12.2%)	287	(11.7%)
肝臓	135	(4.6%)	133	(4.5%)	149	(4.9%)	108	(3.7%)	121	(4.9%)
胆嚢・胆管	31	(1.1%)	46	(1.6%)	47	(1.5%)	51	(1.7%)	36	(1.5%)
膵臓	69	(2.4%)	74	(2.5%)	67	(2.2%)	83	(2.8%)	49	(2.0%)
喉頭	31	(1.1%)	29	(1.0%)	37	(1.2%)	26	(0.9%)	16	(0.6%)
肺	252	(8.6%)	237	(8.1%)	345	(11.3%)	312	(10.6%)	301	(12.2%)
骨・軟部	31	(1.1%)	43	(1.5%)	38	(1.2%)	29	(1.0%)	41	(1.7%)
皮膚	149	(5.1%)	160	(5.5%)	138	(4.5%)	134	(4.6%)	129	(5.2%)
乳房	251	(8.6%)	183	(6.2%)	170	(5.6%)	202	(6.9%)	134	(5.4%)
子宮頸部	102	(3.5%)	99	(3.4%)	124	(4.1%)	106	(3.6%)	102	(4.1%)
子宮体部	59	(2.0%)	75	(2.6%)	84	(2.8%)	79	(2.7%)	88	(3.6%)
子宮	0	—	0	—	0	—	1~3	—	0	—
卵巣(境界悪性除く)	52	(1.8%)	51	(1.7%)	62	(2.0%)	49	(1.7%)	54	(2.2%)
卵巣(境界悪性)	—	(0.0%)	4~6	—	7~9	—	4~6	—	1~3	—
前立腺	282	(9.6%)	226	(7.7%)	234	(7.7%)	235	(8.0%)	123	(5.0%)
膀胱	86	(2.9%)	87	(3.0%)	74	(2.4%)	67	(2.3%)	44	(1.8%)
腎・尿路	101	(3.4%)	111	(3.8%)	128	(4.2%)	122	(4.1%)	98	(4.0%)
脳・神経	95	(3.2%)	108	(3.7%)	131	(4.3%)	122	(4.1%)	99	(4.0%)
甲状腺	21	(0.7%)	21	(0.7%)	18	(0.6%)	17	(0.6%)	19	(0.8%)
悪性リンパ腫	90	(3.1%)	112	(3.8%)	115	(3.8%)	116	(3.9%)	85	(3.5%)
多発性骨髄腫	24	(0.8%)	21	(0.7%)	30	(1.0%)	23	(0.8%)	11	(0.4%)
白血病	33	(1.1%)	39	(1.3%)	34	(1.1%)	38	(1.3%)	29	(1.2%)
他の血液	13	(0.4%)	7~9	—	24	(0.8%)	22	(0.7%)	26	(1.1%)
その他	111	(3.8%)	116	(4.0%)	79	(2.6%)	120	(4.1%)	127	(5.2%)
合計	2,928		2,931		3,044		2,941		2,462	



集計登録数上位10部位

当院	全国	部位名	件数
1	2	肺	301
2	1	大腸	287
3	—	口腔咽頭	186
4	4	胃	173
5	3	乳房	134
6	—	皮膚	129
7	5	前立腺	123
8	10	肝臓	121
9	9	子宮頸部	102
10	—	脳神経	99
		合計	1,655






※「その他」の項目は除く

全体

年齢階級別 登録数の推移/登録割合の推移および比較

診断年	2015年		2016年		2017年		2018年		2019年	
	件数	(%)								
0-14歳	13	(0.5%)	28	(1.0%)	23	(0.8%)	15	(0.5%)	24	(0.8%)
15-29歳	33	(1.2%)	30	(1.0%)	41	(1.4%)	33	(1.1%)	37	(1.3%)
30-39歳	96	(3.5%)	87	(3.0%)	100	(3.4%)	102	(3.4%)	93	(3.2%)
40-49歳	223	(8.1%)	210	(7.2%)	213	(7.3%)	217	(7.1%)	214	(7.3%)
50-59歳	378	(13.7%)	418	(14.3%)	386	(13.2%)	357	(11.7%)	378	(12.9%)
60-69歳	782	(28.3%)	892	(30.5%)	879	(30.0%)	907	(29.8%)	853	(29.0%)
70-79歳	811	(29.3%)	823	(28.1%)	818	(27.9%)	916	(30.1%)	888	(30.2%)
80-89歳	399	(14.4%)	404	(13.8%)	426	(14.5%)	452	(14.8%)	396	(13.5%)
90歳-	30	(1.1%)	36	(1.2%)	45	(1.5%)	45	(1.5%)	58	(2.0%)
合計	2,765		2,928		2,931		3,044		2,941	



男女別 年齢階級別 登録数の推移/登録割合の推移および比較

診断年	2015年		2016年		2017年		2018年		2019年	
	件数	(%)								
0-14歳	7~9	--	15	(0.9%)	10	(0.6%)	7~9	--	14	(0.8%)
15-29歳	11	(0.7%)	11	(0.7%)	17	(1.0%)	16	(0.9%)	19	(1.1%)
30-39歳	28	(1.8%)	26	(1.6%)	33	(2.0%)	32	(1.8%)	28	(1.7%)
40-49歳	64	(4.1%)	54	(3.2%)	71	(4.3%)	69	(3.9%)	70	(4.2%)
50-59歳	201	(12.8%)	214	(12.9%)	185	(11.3%)	168	(9.6%)	189	(11.4%)
60-69歳	479	(30.5%)	584	(35.1%)	565	(34.5%)	606	(34.6%)	554	(33.3%)
70-79歳	527	(33.6%)	521	(31.3%)	506	(30.9%)	579	(33.1%)	561	(33.7%)
80-89歳	242	(15.4%)	222	(13.3%)	234	(14.3%)	252	(14.4%)	207	(12.4%)
90歳-	10	(0.6%)	17	(1.0%)	17	(1.0%)	19	(1.1%)	21	(1.3%)
合計	1,570		1,664		1,638		1,749		1,663	

診断年	2015年		2016年		2017年		2018年		2019年	
	件数	(%)								
0-14歳	4~6	--	13	(1.0%)	13	(1.0%)	7~9	--	10	(0.8%)
15-29歳	22	(1.8%)	19	(1.5%)	24	(1.9%)	17	(1.3%)	18	(1.4%)
30-39歳	68	(5.7%)	61	(4.8%)	67	(5.2%)	70	(5.4%)	65	(5.1%)
40-49歳	159	(13.3%)	156	(12.3%)	142	(11.0%)	148	(11.4%)	144	(11.3%)
50-59歳	177	(14.8%)	204	(16.1%)	201	(15.5%)	189	(14.6%)	189	(14.8%)
60-69歳	303	(25.4%)	308	(24.4%)	314	(24.3%)	301	(23.2%)	299	(23.4%)
70-79歳	284	(23.8%)	302	(23.9%)	312	(24.1%)	337	(26.0%)	327	(25.6%)
80-89歳	157	(13.1%)	182	(14.4%)	192	(14.8%)	200	(15.4%)	189	(14.8%)
90歳-	20	(1.7%)	19	(1.5%)	28	(2.2%)	26	(2.0%)	37	(2.9%)
合計	1,195		1,264		1,293		1,295		1,278	

